

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q1 2012												
Atlanticare Regional Medical Center-Mainland	66	0	42	63.6%	2	3.0%	9	13.6%	57	86.4%	2	3.0%
Bayonne Medical Center	8	0	1	12.5%	0	0.0%	7	87.5%	6	75.0%	1	12.5%
Capital Health System at Hopewell	5	0	0	0.0%	0	0.0%	5	100.0%	4	80.0%	0	0.0%
Chilton Memorial Hospital	6	0	0	0.0%	0	0.0%	6	100.0%	4	66.7%	0	0.0%
Christ Hospital	5	0	0	0.0%	0	0.0%	5	100.0%	5	100.0%	0	0.0%
Clara Maass Medical Center	14	3	1	7.1%	0	0.0%	11	78.6%	13	92.9%	0	0.0%
Community Medical Center	28	0	0	0.0%	0	0.0%	28	100.0%	25	89.3%	0	0.0%
Cooper Hospital/University Medical Center	30	3	0	0.0%	1	3.3%	25	83.3%	29	96.7%	1	3.3%
Deborah Heart and Lung Center	11	3	3	27.3%	0	0.0%	1	9.1%	11	100.0%	0	0.0%
Englewood Hospital and Medical Center	18	1	3	16.7%	1	5.6%	13	72.2%	16	88.9%	1	5.6%
Hackensack University Medical Center	49	6	1	2.0%	5	10.2%	37	75.5%	36	73.5%	4	8.2%
Holy Name Hospital	15	0	2	13.3%	0	0.0%	14	93.3%	13	86.7%	2	13.3%
Hunterdon Medical Center	11	0	0	0.0%	0	0.0%	11	100.0%	10	90.9%	0	0.0%
Jersey City Medical Center	15	0	4	26.7%	0	0.0%	10	66.7%	15	100.0%	0	0.0%
Jersey Shore University Medical Center	24	3	5	20.8%	0	0.0%	12	50.0%	14	58.3%	2	8.3%
JFK Medical Center (Edison)	20	1	0	0.0%	0	0.0%	19	95.0%	15	75.0%	1	5.0%
Monmouth Medical Center	4	0	0	0.0%	0	0.0%	4	100.0%	3	75.0%	0	0.0%
Morristown Memorial Hospital	42	0	0	0.0%	1	2.4%	41	97.6%	32	76.2%	7	16.7%
Mountainside Hospital	15	0	0	0.0%	0	0.0%	15	100.0%	10	66.7%	2	13.3%
Newark Beth Israel Medical Center	10	1	0	0.0%	0	0.0%	9	90.0%	10	100.0%	0	0.0%
Ocean Medical Center	14	0	0	0.0%	0	0.0%	14	100.0%	14	100.0%	0	0.0%
Our Lady of Lourdes Medical Center	37	0	0	0.0%	1	2.7%	36	97.3%	37	100.0%	0	0.0%
Overlook Hospital	26	0	0	0.0%	1	3.8%	25	96.2%	19	73.1%	0	0.0%
Raritan Bay Medical Center - Perth Amboy	12	0	1	8.3%	0	0.0%	11	91.7%	8	66.7%	1	8.3%
Riverview Medical Center	19	3	1	5.3%	0	0.0%	15	78.9%	17	89.5%	2	10.5%
Robert Wood Johnson University Hospital	47	5	1	2.1%	2	4.3%	39	83.0%	43	91.5%	1	2.1%
RWJ University Hospital at Hamilton	15	0	0	0.0%	0	0.0%	15	100.0%	11	73.3%	2	13.3%
RWJ University Hospital at Rahway	4	0	0	0.0%	0	0.0%	3	75.0%	3	75.0%	0	0.0%
Somerset Medical Center	26	1	0	0.0%	1	3.8%	24	92.3%	23	88.5%	1	3.8%
St. Barnabas Medical Center	13	0	0	0.0%	0	0.0%	13	100.0%	11	84.6%	1	7.7%
St. Clare's Hospital - Denville	24	0	0	0.0%	0	0.0%	24	100.0%	20	83.3%	0	0.0%
St. Francis Medical Center	16	0	1	6.3%	1	6.3%	14	87.5%	16	100.0%	0	0.0%
St. Joseph's Hospital and Medical Center	17	1	0	0.0%	0	0.0%	16	94.1%	16	94.1%	1	5.9%
St. Mary's Hospital (Passaic)	10	1	0	0.0%	0	0.0%	7	70.0%	8	80.0%	1	10.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	6	0	0	0.0%	0	0.0%	6	100.0%	5	83.3%	0	0.0%
St. Peter's University Hospital	5	0	0	0.0%	0	0.0%	5	100.0%	5	100.0%	0	0.0%
Trinitas Hospital	14	0	0	0.0%	0	0.0%	14	100.0%	7	50.0%	4	28.6%
UMDNJ-University Hospital	5	0	0	0.0%	0	0.0%	5	100.0%	5	100.0%	0	0.0%
Underwood - Memorial Hospital	21	0	0	0.0%	0	0.0%	21	100.0%	17	81.0%	1	4.8%
University Medical Center at Princeton	8	1	0	0.0%	0	0.0%	6	75.0%	6	75.0%	0	0.0%
Valley Hospital	25	2	0	0.0%	2	8.0%	21	84.0%	20	80.0%	2	8.0%
Virtua-Memorial Hospital Burlington Cty.	12	1	0	0.0%	0	0.0%	11	91.7%	9	75.0%	0	0.0%
Virtua-West Jersey Hospital Marlton	32	0	0	0.0%	0	0.0%	31	96.9%	30	93.8%	1	3.1%
Total	804	36	66	8.2%	18	2.2%	658	81.8%	678	84.3%	41	5.1%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q2 2012												
Atlanticare Regional Medical Center-Mainland	59	0	3	5.1%	0	0.0%	7	11.9%	57	96.6%	0	0.0%
Bayonne Medical Center	13	0	0	0.0%	0	0.0%	13	100.0%	10	76.9%	0	0.0%
Capital Health System at Hopewell	6	0	0	0.0%	0	0.0%	6	100.0%	5	83.3%	1	16.7%
Chilton Memorial Hospital	17	0	0	0.0%	0	0.0%	17	100.0%	16	94.1%	0	0.0%
Christ Hospital	8	0	0	0.0%	0	0.0%	8	100.0%	3	37.5%	1	12.5%
Clara Maass Medical Center	15	0	0	0.0%	1	6.7%	14	93.3%	12	80.0%	0	0.0%
Community Medical Center	27	0	0	0.0%	0	0.0%	27	100.0%	23	85.2%	0	0.0%
Cooper Hospital/University Medical Center	28	6	1	3.6%	3	10.7%	19	67.9%	25	89.3%	0	0.0%
Deborah Heart and Lung Center	9	3	3	33.3%	0	0.0%	3	33.3%	8	88.9%	1	11.1%
Englewood Hospital and Medical Center	20	3	13	65.0%	0	0.0%	10	50.0%	16	80.0%	3	15.0%
Hackensack University Medical Center	52	2	3	5.8%	0	0.0%	47	90.4%	36	69.2%	5	9.6%
Holy Name Hospital	12	0	0	0.0%	0	0.0%	11	91.7%	11	91.7%	1	8.3%
Hunterdon Medical Center	10	0	0	0.0%	1	10.0%	9	90.0%	10	100.0%	0	0.0%
Jersey City Medical Center	8	0	2	25.0%	0	0.0%	7	87.5%	8	100.0%	0	0.0%
Jersey Shore University Medical Center	30	8	8	26.7%	0	0.0%	12	40.0%	24	80.0%	2	6.7%
JFK Medical Center (Edison)	25	0	0	0.0%	0	0.0%	25	100.0%	17	68.0%	3	12.0%
Monmouth Medical Center	8	0	0	0.0%	1	12.5%	7	87.5%	7	87.5%	0	0.0%
Morristown Memorial Hospital	35	0	0	0.0%	0	0.0%	35	100.0%	28	80.0%	1	2.9%
Mountainside Hospital	5	0	0	0.0%	0	0.0%	5	100.0%	4	80.0%	1	20.0%
Newark Beth Israel Medical Center	8	1	0	0.0%	0	0.0%	7	87.5%	8	100.0%	0	0.0%
Ocean Medical Center	27	0	0	0.0%	0	0.0%	27	100.0%	27	100.0%	0	0.0%
Our Lady of Lourdes Medical Center	30	2	2	6.7%	1	3.3%	26	86.7%	28	93.3%	0	0.0%
Overlook Hospital	26	0	0	0.0%	1	3.8%	25	96.2%	24	92.3%	1	3.8%
Raritan Bay Medical Center - Perth Amboy	12	0	0	0.0%	1	8.3%	11	91.7%	12	100.0%	0	0.0%
Riverview Medical Center	23	3	0	0.0%	0	0.0%	20	87.0%	19	82.6%	1	4.3%
Robert Wood Johnson University Hospital	44	9	2	4.5%	2	4.5%	32	72.7%	44	100.0%	0	0.0%
RWJ University Hospital at Hamilton	13	0	0	0.0%	0	0.0%	13	100.0%	7	53.8%	3	23.1%
RWJ University Hospital at Rahway	11	0	0	0.0%	0	0.0%	11	100.0%	10	90.9%	0	0.0%
Somerset Medical Center	19	1	0	0.0%	2	10.5%	16	84.2%	16	84.2%	1	5.3%
St. Barnabas Medical Center	17	0	0	0.0%	1	5.9%	14	82.4%	14	82.4%	1	5.9%
St. Clare's Hospital - Denville	18	0	0	0.0%	0	0.0%	18	100.0%	17	94.4%	0	0.0%
St. Francis Medical Center	6	0	1	16.7%	0	0.0%	6	100.0%	4	66.7%	2	33.3%
St. Joseph's Hospital and Medical Center	27	4	0	0.0%	0	0.0%	23	85.2%	24	88.9%	1	3.7%
St. Mary's Hospital (Passaic)	5	0	0	0.0%	0	0.0%	4	80.0%	4	80.0%	0	0.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	6	0	0	0.0%	0	0.0%	6	100.0%	6	100.0%	0	0.0%
St. Peter's University Hospital	7	0	0	0.0%	0	0.0%	7	100.0%	6	85.7%	1	14.3%
Trinitas Hospital	10	2	0	0.0%	0	0.0%	8	80.0%	7	70.0%	1	10.0%
UMDNJ-University Hospital	6	0	0	0.0%	1	16.7%	5	83.3%	6	100.0%	0	0.0%
Underwood - Memorial Hospital	17	0	0	0.0%	1	5.9%	16	94.1%	17	100.0%	0	0.0%
University Medical Center at Princeton	5	0	0	0.0%	0	0.0%	4	80.0%	3	60.0%	0	0.0%
Valley Hospital	20	1	0	0.0%	0	0.0%	18	90.0%	19	95.0%	0	0.0%
Virtua-Memorial Hospital Burlington Cty.	21	0	0	0.0%	1	4.8%	20	95.2%	17	81.0%	0	0.0%
Virtua-West Jersey Hospital Marlton	21	0	0	0.0%	0	0.0%	21	100.0%	20	95.2%	0	0.0%
Total	786	45	38	4.8%	17	2.2%	640	81.4%	679	86.4%	31	3.9%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q3 2012												
Atlanticare Regional Medical Center-Mainland	59	2	9	15.3%	3	5.1%	9	15.3%	53	89.8%	3	5.1%
Bayonne Medical Center	15	0	0	0.0%	0	0.0%	15	100.0%	12	80.0%	0	0.0%
Capital Health System at Hopewell	11	0	0	0.0%	0	0.0%	11	100.0%	11	100.0%	0	0.0%
Chilton Memorial Hospital	12	0	0	0.0%	0	0.0%	12	100.0%	9	75.0%	0	0.0%
Christ Hospital	6	0	0	0.0%	0	0.0%	5	83.3%	5	83.3%	1	16.7%
Clara Maass Medical Center	8	3	0	0.0%	0	0.0%	5	62.5%	7	87.5%	0	0.0%
Community Medical Center	28	0	0	0.0%	0	0.0%	28	100.0%	22	78.6%	2	7.1%
Cooper Hospital/University Medical Center	23	4	1	4.3%	0	0.0%	19	82.6%	21	91.3%	1	4.3%
Deborah Heart and Lung Center	8	2	2	25.0%	1	12.5%	1	12.5%	8	100.0%	0	0.0%
Englewood Hospital and Medical Center	13	1	6	46.2%	2	15.4%	7	53.8%	9	69.2%	1	7.7%
Hackensack University Medical Center	29	1	4	13.8%	0	0.0%	25	86.2%	24	82.8%	1	3.4%
Holy Name Hospital	13	0	1	7.7%	0	0.0%	12	92.3%	12	92.3%	0	0.0%
Hunterdon Medical Center	12	0	0	0.0%	0	0.0%	12	100.0%	11	91.7%	1	8.3%
Jersey City Medical Center	16	0	1	6.3%	1	6.3%	14	87.5%	15	93.8%	0	0.0%
Jersey Shore University Medical Center	19	0	3	15.8%	1	5.3%	12	63.2%	16	84.2%	2	10.5%
JFK Medical Center (Edison)	19	0	0	0.0%	0	0.0%	19	100.0%	17	89.5%	0	0.0%
Monmouth Medical Center	15	0	0	0.0%	0	0.0%	15	100.0%	13	86.7%	1	6.7%
Morristown Memorial Hospital	31	0	0	0.0%	1	3.2%	30	96.8%	25	80.6%	2	6.5%
Mountainside Hospital	12	0	1	8.3%	0	0.0%	10	83.3%	7	58.3%	1	8.3%
Newark Beth Israel Medical Center	12	1	0	0.0%	0	0.0%	9	75.0%	12	100.0%	0	0.0%
Ocean Medical Center	26	0	0	0.0%	1	3.8%	25	96.2%	23	88.5%	0	0.0%
Our Lady of Lourdes Medical Center	28	1	1	3.6%	0	0.0%	26	92.9%	26	92.9%	1	3.6%
Overlook Hospital	11	0	0	0.0%	1	9.1%	10	90.9%	9	81.8%	1	9.1%
Raritan Bay Medical Center - Perth Amboy	18	0	0	0.0%	1	5.6%	16	88.9%	15	83.3%	3	16.7%
Riverview Medical Center	21	1	0	0.0%	0	0.0%	20	95.2%	15	71.4%	4	19.0%
Robert Wood Johnson University Hospital	37	1	1	2.7%	1	2.7%	34	91.9%	36	97.3%	0	0.0%
RWJ University Hospital at Hamilton	20	0	1	5.0%	0	0.0%	19	95.0%	14	70.0%	1	5.0%
RWJ University Hospital at Rahway	11	0	0	0.0%	0	0.0%	10	90.9%	9	81.8%	0	0.0%
Somerset Medical Center	22	1	1	4.5%	0	0.0%	20	90.9%	20	90.9%	0	0.0%
St. Barnabas Medical Center	13	0	0	0.0%	0	0.0%	13	100.0%	11	84.6%	0	0.0%
St. Clare's Hospital - Denville	24	1	0	0.0%	0	0.0%	23	95.8%	20	83.3%	0	0.0%
St. Francis Medical Center	10	1	0	0.0%	0	0.0%	9	90.0%	9	90.0%	0	0.0%
St. Joseph's Hospital and Medical Center	19	3	0	0.0%	0	0.0%	16	84.2%	19	100.0%	0	0.0%
St. Mary's Hospital (Passaic)	14	5	0	0.0%	0	0.0%	9	64.3%	10	71.4%	2	14.3%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
St. Michael's Medical Center	5	0	1	20.0%	0	0.0%	4	80.0%	3	60.0%	1	20.0%
St. Peter's University Hospital	1	0	0	0.0%	0	0.0%	1	100.0%	1	100.0%	0	0.0%
Trinitas Hospital	14	0	1	7.1%	0	0.0%	13	92.9%	6	42.9%	2	14.3%
UMDNJ-University Hospital	17	0	2	11.8%	3	17.6%	11	64.7%	15	88.2%	2	11.8%
Underwood - Memorial Hospital	22	0	0	0.0%	0	0.0%	22	100.0%	21	95.5%	0	0.0%
University Medical Center at Princeton	8	0	0	0.0%	0	0.0%	7	87.5%	4	50.0%	1	12.5%
Valley Hospital	25	1	0	0.0%	1	4.0%	22	88.0%	24	96.0%	1	4.0%
Virtua-Memorial Hospital Burlington Cty.	20	0	0	0.0%	0	0.0%	20	100.0%	15	75.0%	0	0.0%
Virtua-West Jersey Hospital Marlton	28	0	0	0.0%	0	0.0%	28	100.0%	26	92.9%	0	0.0%
Total	775	29	36	4.6%	17	2.2%	648	83.6%	660	85.2%	35	4.5%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
Q4 2012												
Atlanticare Regional Medical Center-Mainland	52	2	4	7.7%	0	0.0%	6	11.5%	46	88.5%	3	5.8%
Bayonne Medical Center	10	0	0	0.0%	0	0.0%	10	100.0%	10	100.0%	0	0.0%
Capital Health System at Hopewell	9	0	0	0.0%	0	0.0%	9	100.0%	7	77.8%	0	0.0%
Chilton Memorial Hospital	14	0	0	0.0%	1	7.1%	13	92.9%	14	100.0%	0	0.0%
Christ Hospital	11	0	0	0.0%	0	0.0%	10	90.9%	9	81.8%	2	18.2%
Clara Maass Medical Center	16	3	0	0.0%	0	0.0%	13	81.3%	13	81.3%	1	6.3%
Community Medical Center	33	0	0	0.0%	0	0.0%	33	100.0%	28	84.8%	3	9.1%
Cooper Hospital/University Medical Center	27	5	0	0.0%	0	0.0%	21	77.8%	20	74.1%	2	7.4%
Deborah Heart and Lung Center	12	6	3	25.0%	0	0.0%	3	25.0%	12	100.0%	0	0.0%
Englewood Hospital and Medical Center	12	2	7	58.3%	0	0.0%	6	50.0%	10	83.3%	0	0.0%
Hackensack University Medical Center	40	4	1	2.5%	1	2.5%	34	85.0%	29	72.5%	5	12.5%
Holy Name Hospital	16	0	3	18.8%	0	0.0%	14	87.5%	13	81.3%	0	0.0%
Hunterdon Medical Center	21	0	0	0.0%	0	0.0%	21	100.0%	20	95.2%	0	0.0%
Jersey City Medical Center	9	0	1	11.1%	1	11.1%	7	77.8%	8	88.9%	1	11.1%
Jersey Shore University Medical Center	36	5	3	8.3%	1	2.8%	23	63.9%	27	75.0%	5	13.9%
JFK Medical Center (Edison)	30	0	0	0.0%	2	6.7%	27	90.0%	24	80.0%	3	10.0%
Monmouth Medical Center	6	0	0	0.0%	0	0.0%	6	100.0%	6	100.0%	0	0.0%
Morristown Memorial Hospital	39	0	0	0.0%	0	0.0%	39	100.0%	33	84.6%	1	2.6%
Mountainside Hospital	9	0	0	0.0%	0	0.0%	9	100.0%	7	77.8%	0	0.0%
Newark Beth Israel Medical Center	14	0	1	7.1%	0	0.0%	13	92.9%	12	85.7%	1	7.1%
Ocean Medical Center	31	0	0	0.0%	0	0.0%	29	93.5%	19	61.3%	9	29.0%
Our Lady of Lourdes Medical Center	19	2	2	10.5%	0	0.0%	16	84.2%	19	100.0%	0	0.0%
Overlook Hospital	20	0	0	0.0%	0	0.0%	20	100.0%	17	85.0%	0	0.0%
Raritan Bay Medical Center - Perth Amboy	32	2	0	0.0%	3	9.4%	26	81.3%	28	87.5%	2	6.3%
Riverview Medical Center	20	0	0	0.0%	1	5.0%	19	95.0%	18	90.0%	1	5.0%
Robert Wood Johnson University Hospital	44	4	2	4.5%	3	6.8%	36	81.8%	44	100.0%	0	0.0%
RWJ University Hospital at Hamilton	12	0	0	0.0%	0	0.0%	12	100.0%	12	100.0%	0	0.0%
RWJ University Hospital at Rahway	7	0	0	0.0%	0	0.0%	7	100.0%	7	100.0%	0	0.0%
Somerset Medical Center	21	0	0	0.0%	0	0.0%	21	100.0%	15	71.4%	2	9.5%
St. Barnabas Medical Center	4	0	0	0.0%	0	0.0%	4	100.0%	3	75.0%	0	0.0%
St. Clare's Hospital - Denville	28	0	0	0.0%	0	0.0%	28	100.0%	24	85.7%	0	0.0%
St. Francis Medical Center	9	0	0	0.0%	1	11.1%	8	88.9%	5	55.6%	1	11.1%
St. Joseph's Hospital and Medical Center	23	2	0	0.0%	0	0.0%	21	91.3%	19	82.6%	0	0.0%
St. Mary's Hospital (Passaic)	13	1	0	0.0%	0	0.0%	12	92.3%	10	76.9%	2	15.4%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	3	0	0	0.0%	0	0.0%	3	100.0%	3	100.0%	0	0.0%
St. Peter's University Hospital	7	0	0	0.0%	0	0.0%	7	100.0%	6	85.7%	1	14.3%
Trinitas Hospital	9	1	1	11.1%	1	11.1%	7	77.8%	5	55.6%	2	22.2%
UMDNJ-University Hospital	9	1	0	0.0%	0	0.0%	8	88.9%	5	55.6%	4	44.4%
Underwood - Memorial Hospital	30	0	0	0.0%	0	0.0%	29	96.7%	26	86.7%	1	3.3%
University Medical Center at Princeton	4	0	0	0.0%	0	0.0%	3	75.0%	2	50.0%	0	0.0%
Valley Hospital	23	3	0	0.0%	1	4.3%	20	87.0%	21	91.3%	1	4.3%
Virtua-Memorial Hospital Burlington Cty.	14	0	0	0.0%	0	0.0%	14	100.0%	12	85.7%	1	7.1%
Virtua-West Jersey Hospital Marlton	24	0	1	4.2%	0	0.0%	22	91.7%	21	87.5%	2	8.3%
Total	822	43	29	3.5%	16	1.9%	689	83.8%	689	83.8%	56	6.8%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
2012 Total												
Atlanticare Regional Medical Center-Mainland	236	4	58	24.6%	5	2.1%	31	13.1%	213	90.3%	8	3.4%
Bayonne Medical Center	46	0	1	2.2%	0	0.0%	45	97.8%	38	82.6%	1	2.2%
Capital Health System at Hopewell	31	0	0	0.0%	0	0.0%	31	100.0%	27	87.1%	1	3.2%
Chilton Memorial Hospital	49	0	0	0.0%	1	2.0%	48	98.0%	43	87.8%	0	0.0%
Christ Hospital	30	0	0	0.0%	0	0.0%	28	93.3%	22	73.3%	4	13.3%
Clara Maass Medical Center	53	9	1	1.9%	1	1.9%	43	81.1%	45	84.9%	1	1.9%
Community Medical Center	116	0	0	0.0%	0	0.0%	116	100.0%	98	84.5%	5	4.3%
Cooper Hospital/University Medical Center	108	18	2	1.9%	4	3.7%	84	77.8%	95	88.0%	4	3.7%
Deborah Heart and Lung Center	40	14	11	27.5%	1	2.5%	8	20.0%	39	97.5%	1	2.5%
Englewood Hospital and Medical Center	63	7	29	46.0%	3	4.8%	36	57.1%	51	81.0%	5	7.9%
Hackensack University Medical Center	170	13	9	5.3%	6	3.5%	143	84.1%	125	73.5%	15	8.8%
Holy Name Hospital	56	0	6	10.7%	0	0.0%	51	91.1%	49	87.5%	3	5.4%
Hunterdon Medical Center	54	0	0	0.0%	1	1.9%	53	98.1%	51	94.4%	1	1.9%
Jersey City Medical Center	48	0	8	16.7%	2	4.2%	38	79.2%	46	95.8%	1	2.1%
Jersey Shore University Medical Center	109	16	19	17.4%	2	1.8%	59	54.1%	81	74.3%	11	10.1%
JFK Medical Center (Edison)	94	1	0	0.0%	2	2.1%	90	95.7%	73	77.7%	7	7.4%
Monmouth Medical Center	33	0	0	0.0%	1	3.0%	32	97.0%	29	87.9%	1	3.0%
Morristown Memorial Hospital	147	0	0	0.0%	2	1.4%	145	98.6%	118	80.3%	11	7.5%
Mountainside Hospital	41	0	1	2.4%	0	0.0%	39	95.1%	28	68.3%	4	9.8%
Newark Beth Israel Medical Center	44	3	1	2.3%	0	0.0%	38	86.4%	42	95.5%	1	2.3%
Ocean Medical Center	98	0	0	0.0%	1	1.0%	95	96.9%	83	84.7%	9	9.2%
Our Lady of Lourdes Medical Center	114	5	5	4.4%	2	1.8%	104	91.2%	110	96.5%	1	0.9%
Overlook Hospital	83	0	0	0.0%	3	3.6%	80	96.4%	69	83.1%	2	2.4%
Raritan Bay Medical Center - Perth Amboy	74	2	1	1.4%	5	6.8%	64	86.5%	63	85.1%	6	8.1%
Riverview Medical Center	83	7	1	1.2%	1	1.2%	74	89.2%	69	83.1%	8	9.6%
Robert Wood Johnson University Hospital	172	19	6	3.5%	8	4.7%	141	82.0%	167	97.1%	1	0.6%
RWJ University Hospital at Hamilton	60	0	1	1.7%	0	0.0%	59	98.3%	44	73.3%	6	10.0%
RWJ University Hospital at Rahway	33	0	0	0.0%	0	0.0%	31	93.9%	29	87.9%	0	0.0%
Somerset Medical Center	88	3	1	1.1%	3	3.4%	81	92.0%	74	84.1%	4	4.5%
St. Barnabas Medical Center	47	0	0	0.0%	1	2.1%	44	93.6%	39	83.0%	2	4.3%
St. Clare's Hospital - Denville	94	1	0	0.0%	0	0.0%	93	98.9%	81	86.2%	0	0.0%
St. Francis Medical Center	41	1	2	4.9%	2	4.9%	37	90.2%	34	82.9%	3	7.3%
St. Joseph's Hospital and Medical Center	86	10	0	0.0%	0	0.0%	76	88.4%	78	90.7%	2	2.3%
St. Mary's Hospital (Passaic)	42	7	0	0.0%	0	0.0%	32	76.2%	32	76.2%	5	11.9%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2012 - 12/31/2012**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
			#	%	#	%	#	%	<= 90 Mins		> 2 Hours	
									#	%	#	%
St. Michael's Medical Center	20	0	1	5.0%	0	0.0%	19	95.0%	17	85.0%	1	5.0%
St. Peter's University Hospital	20	0	0	0.0%	0	0.0%	20	100.0%	18	90.0%	2	10.0%
Trinitas Hospital	47	3	2	4.3%	1	2.1%	42	89.4%	25	53.2%	9	19.1%
UMDNJ-University Hospital	37	1	2	5.4%	4	10.8%	29	78.4%	31	83.8%	6	16.2%
Underwood - Memorial Hospital	90	0	0	0.0%	1	1.1%	88	97.8%	81	90.0%	2	2.2%
University Medical Center at Princeton	25	1	0	0.0%	0	0.0%	20	80.0%	15	60.0%	1	4.0%
Valley Hospital	93	7	0	0.0%	4	4.3%	81	87.1%	84	90.3%	4	4.3%
Virtua-Memorial Hospital Burlington Cty.	67	1	0	0.0%	1	1.5%	65	97.0%	53	79.1%	1	1.5%
Virtua-West Jersey Hospital Marlton	105	0	1	1.0%	0	0.0%	102	97.1%	97	92.4%	3	2.9%
Total	3187	153	169	5.3%	68	2.1%	2635	82.7%	2706	84.9%	163	5.1%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.